

Dedicated number	Floor mat model	Voltage(V)	Power(12w/ft2)	Resistance(Ω)	Width(ft)	Length(ft)	Heating area(sq.ft)
2ATTX1300120A	2ATTX-130	120	120	120.0	1.6	6.1	10
2ATTX1300180A	2ATTX-130	120	180	80.0	1.6	9.1	15
2ATTX1300240A	2ATTX-130	120	240	60.0	1.6	12.2	20
2ATTX1300300A	2ATTX-130	120	300	48.0	1.6	15.2	25
2ATTX1300360A	2ATTX-130	120	360	40.0	1.6	18.3	30
2ATTX1300420A	2ATTX-130	120	420	34.3	1.6	21.3	35
2ATTX1300480A	2ATTX-130	120	480	30.0	1.6	24.4	40
2ATTX1300600A	2ATTX-130	120	600	24.0	1.6	30.5	50
2ATTX1300720A	2ATTX-130	120	720	20.0	1.6	36.6	60
2ATTX1300840A	2ATTX-130	120	840	17.1	1.6	42.7	70
2ATTX1300960A	2ATTX-130	120	960	15.0	1.6	48.8	80
2ATTX1300240D	2ATTX-130	240	240	240.0	1.6	12.2	20
2ATTX1300300D	2ATTX-130	240	300	192.0	1.6	15.2	25
2ATTX1300360D	2ATTX-130	240	360	160.0	1.6	18.3	30
2ATTX1300420D	2ATTX-130	240	420	137.1	1.6	21.3	35
2ATTX1300480D	2ATTX-130	240	480	120.0	1.6	24.4	40
2ATTX1300600D	2ATTX-130	240	600	96.0	1.6	30.5	50
2ATTX1300720D	2ATTX-130	240	720	80.0	1.6	36.6	60
2ATTX1300840D	2ATTX-130	240	840	68.6	1.6	42.7	70
2ATTX1300960D	2ATTX-130	240	960	60.0	1.6	48.8	80
2ATTX1301080D	2ATTX-130	240	1080	53.3	1.6	54.9	90
2ATTX1301200D	2ATTX-130	240	1206	48.0	1.6	61.0	100
2ATTX1301320D	2ATTX-130	240	1320	43.6	1.6	67.1	110
2ATTX1301440D	2ATTX-130	240	1440	40.0	1.6	73.2	120
2ATTX1301560D	2ATTX-130	240	1560	36.9	1.6	79.3	130
2ATTX1301680D	2ATTX-130	240	1680	34.3	1.6	85.4	140

150w/m² dual conduction series heating mat (UL/CUL)

Dedicated number	Floor mat model	Voltage(V)	Power(14w/ft2)	Resistance(Ω)	Width(ft)	Length(ft)	Heating area (sq.ft)
2ATTX1500140A	2ATTX-150	120	140	102.9	1.6	6.1	10
2ATTX1500210A	2ATTX-150	120	210	68.6	1.6	9.1	15

2ATTX1500280A	2ATTX-150	120	280	51.4	1.6	12.2	20
2ATTX1500350A	2ATTX-150	120	350	41.1	1.6	15.2	25
2ATTX1500420A	2ATTX-150	120	420	34.3	1.6	18.3	30
2ATTX1500490A	2ATTX-150	120	490	29.4	1.6	21.3	35
2ATTX1500560A	2ATTX-150	120	560	25.7	1.6	24.4	40
2ATTX1500700A	2ATTX-150	120	700	20.6	1.6	30.5	50
2ATTX1500840A	2ATTX-150	120	840	17.1	1.6	36.6	60
2ATTX1500980A	2ATTX-150	120	980	14.7	1.6	42.7	70
2ATTX1500280D	2ATTX-150	240	280	205.7	1.6	12.2	20
2ATTX1500350D	2ATTX-150	240	350	164.6	1.6	15.2	25
2ATTX1500420D	2ATTX-150	240	420	137.1	1.6	18.3	30
2ATTX1500490D	2ATTX-150	240	490	117.6	1.6	21.3	35
2ATTX1500560D	2ATTX-150	240	560	102.9	1.6	24.4	40
2ATTX1500700D	2ATTX-150	240	700	82.3	1.6	30.5	50
2ATTX1500840D	2ATTX-150	240	840	68.6	1.6	36.6	60
2ATTX1500980D	2ATTX-150	240	980	58.8	1.6	42.7	70
2ATTX1501120D	2ATTX-150	240	1120	51.4	1.6	48.8	80
2ATTX1501260D	2ATTX-150	240	1260	45.7	1.6	54.9	90
2ATTX1501400D	2ATTX-150	240	1400	41.1	1.6	61.0	100
2ATTX1501540D	2ATTX-150	240	1540	37.4	1.6	67.1	110
2ATTX1501680D	2ATTX-150	240	1680	34.3	1.6	73.2	120

Dedicated number	Floor mat model	Voltage(V)	Power(W)	Resistance(Ω)	Width(m)	Length(m)	Heating area(m ²)
2ATTX1500150C	2ATTX-150	230	150	352.7	0.5	2.0	1.0
2ATTX1500225C	2ATTX-150	230	225	235.1	0.5	3.0	1.5
2ATTX1500300C	2ATTX-150	230	300	176.3	0.5	4.0	2.0
2ATTX1500375C	2ATTX-150	230	375	141.1	0.5	5.0	2.5
2ATTX1500450C	2ATTX-150	230	450	117.6	0.5	6.0	3.0

2ATTX1500525C	2ATTX-150	230	525	100.8	0.5	7.0	3.5
2ATTX1500600C	2ATTX-150	230	600	88.2	0.5	8.0	4.0
2ATTX1500725C	2ATTX-150	230	725	73.0	0.5	9.7	4.8
2ATTX1500900C	2ATTX-150	230	900	58.8	0.5	12.0	6.0
2ATTX1501050C	2ATTX-150	230	1050	50.4	0.5	14.0	7.0
2ATTX1501200C	2ATTX-150	230	1200	44.1	0.5	16.0	8.0
2ATTX1501350C	2ATTX-150	230	1350	39.2	0.5	18.0	9.0
2ATTX1501500C	2ATTX-150	230	1500	35.3	0.5	20.0	10.0
2ATTX1501800C	2ATTX-150	230	1800	29.7	0.5	24.0	12.0

150w/m² dual conduction series heating mat (CE)

130w/m² Dual conductive series heating mat (UL/CUL)

Dedicated number	Floor mat model	Voltage(V)	Power(12w/ft ²)	Resistance(Ω)	Width(ft)	Length(ft)	Heating area (sq.ft)
2ATTX1300120A	2ATTX-130	120	120	120.0	1.6	6.1	10
2ATTX1300180A	2ATTX-130	120	180	80.0	1.6	9.1	15
2ATTX1300240A	2ATTX-130	120	240	60.0	1.6	12.2	20
2ATTX1300300A	2ATTX-130	120	300	48.0	1.6	15.2	25
2ATTX1300360A	2ATTX-130	120	360	40.0	1.6	18.3	30
2ATTX1300420A	2ATTX-130	120	420	34.3	1.6	21.3	35
2ATTX1300480A	2ATTX-130	120	480	30.0	1.6	24.4	40
2ATTX1300600A	2ATTX-130	120	600	24.0	1.6	30.5	50
2ATTX1300720A	2ATTX-130	120	720	20.0	1.6	36.6	60
2ATTX1300840A	2ATTX-130	120	840	17.1	1.6	42.7	70
2ATTX1300960A	2ATTX-130	120	960	15.0	1.6	48.8	80

2ATTX1300240D	2ATTX-130	240	240	240.0	1.6	12.2	20
2ATTX1300300D	2ATTX-130	240	300	192.0	1.6	15.2	25
2ATTX1300360D	2ATTX-130	240	360	160.0	1.6	18.3	30
2ATTX1300420D	2ATTX-130	240	420	137.1	1.6	21.3	35
2ATTX1300480D	2ATTX-130	240	480	120.0	1.6	24.4	40
2ATTX1300600D	2ATTX-130	240	600	96.0	1.6	30.5	50
2ATTX1300720D	2ATTX-130	240	720	80.0	1.6	36.6	60
2ATTX1300840D	2ATTX-130	240	840	68.6	1.6	42.7	70
2ATTX1300960D	2ATTX-130	240	960	60.0	1.6	48.8	80
2ATTX1301080D	2ATTX-130	240	1080	53.3	1.6	54.9	90
2ATTX1301200D	2ATTX-130	240	1200	48.0	1.6	61.0	100
2ATTX1301320D	2ATTX-130	240	1320	43.6	1.6	67.1	110
2ATTX1301440D	2ATTX-130	240	1440	40.0	1.6	73.2	120
2ATTX1301560D	2ATTX-130	240	1560	36.9	1.6	79.3	130
2ATTX1301680D	2ATTX-130	240	1680	34.3	1.6	85.4	140
2ATTX1301800D	2ATTX-130	240	1800	32.0	1.6	91.5	150

150w/m² Dual conductive series heating mat (UL/CUL)

Dedicated number	Floor mat model	Voltage(V)	Power(14w/ft ²)	Resistance(Ω)	Width(ft)	Length(ft)	Heating area (sq.ft)
2ATTX1500140A	2ATTX-150	120	140	102.9	1.6	6.1	10
2ATTX1500210A	2ATTX-150	120	210	68.6	1.6	9.1	15
2ATTX1500280A	2ATTX-150	120	280	51.4	1.6	12.2	20
2ATTX1500350A	2ATTX-150	120	350	41.1	1.6	15.2	25
2ATTX1500420A	2ATTX-150	120	420	34.3	1.6	18.3	30
2ATTX1500490A	2ATTX-150	120	490	29.4	1.6	21.3	35

2ATTX1500560A	2ATTX-150	120	560	25.7	1.6	24.4	40
2ATTX1500700A	2ATTX-150	120	700	20.6	1.6	30.5	50
2ATTX1500840A	2ATTX-150	120	840	17.1	1.6	36.6	60
2ATTX1500980A	2ATTX-150	120	980	14.7	1.6	42.7	70
2ATTX1500280D	2ATTX-150	240	280	205.7	1.6	12.2	20
2ATTX1500350D	2ATTX-150	240	350	164.6	1.6	15.2	25
2ATTX1500420D	2ATTX-150	240	420	137.1	1.6	18.3	30
2ATTX1500490D	2ATTX-150	240	490	117.6	1.6	21.3	35
2ATTX1500560D	2ATTX-150	240	560	102.9	1.6	24.4	40
2ATTX1500700D	2ATTX-150	240	700	82.3	1.6	30.5	50
2ATTX1500840D	2ATTX-150	240	840	68.6	1.6	36.6	60
2ATTX1500980D	2ATTX-150	240	980	58.8	1.6	42.7	70
2ATTX1501120D	2ATTX-150	240	1120	51.4	1.6	48.8	80
2ATTX1501260D	2ATTX-150	240	1260	45.7	1.6	54.9	90
2ATTX1501400D	2ATTX-150	240	1400	41.1	1.6	61.0	100
2ATTX1501540D	2ATTX-150	240	1540	37.4	1.6	67.1	110
2ATTX1501680D	2ATTX-150	240	1680	34.3	1.6	73.2	120

150w/m² Dual conductive series heating mat (CE)

Dedicated number	Floor mat model	Voltage(V)	Power(W)	Resistance(Ω)	Width(m)	Length(m)	Heating area(m ²)
2ATTX1500150C	2ATTX-150	230	150	352.7	0.5	2.0	1.0
2ATTX1500225C	2ATTX-150	230	225	235.1	0.5	3.0	1.5
2ATTX1500300C	2ATTX-150	230	300	176.3	0.5	4.0	2.0
2ATTX1500375C	2ATTX-150	230	375	141.1	0.5	5.0	2.5
2ATTX1500450C	2ATTX-150	230	450	117.6	0.5	6.0	3.0
2ATTX1500525C	2ATTX-150	230	525	100.8	0.5	7.0	3.5
2ATTX1500600C	2ATTX-150	230	600	88.2	0.5	8.0	4.0
2ATTX1500725C	2ATTX-150	230	725	73.0	0.5	9.7	4.8

2ATTX1500900C	2ATTX-150	230	900	58.8	0.5	12.0	6.0
2ATTX1501050C	2ATTX-150	230	1050	50.4	0.5	14.0	7.0
2ATTX1501200C	2ATTX-150	230	1200	44.1	0.5	16.0	8.0
2ATTX1501350C	2ATTX-150	230	1350	39.2	0.5	18.0	9.0
2ATTX1501500C	2ATTX-150	230	1500	35.3	0.5	20.0	10.0
2ATTX1501800C	2ATTX-150	230	1806	29.7	0.5	24.0	12.0